

# ORNITOLOGIA NEOTROPICAL

UNA REVISTA INTERNACIONAL DE ORNITOLOGIA NEOTROPICAL  
UMA REVISTA INTERNACIONAL DE ORNITOLOGIA NEOTROPICAL  
AN INTERNATIONAL JOURNAL OF NEOTROPICAL ORNITHOLOGY

EDITOR

RAYMOND McNEIL

## **INDEX TO VOLUME 11, 2000**

(Authors, key words, families, latin names)

PUBLISHED BY

**THE NEOTROPICAL ORNITHOLOGICAL SOCIETY**

- Abundancia, 207–222  
*Accipiter bicolor*, 207–222  
*Accipiter striatus*, 197–205  
*Aegithalos caudatus*, 297–306  
*Agelaius thilius*, 292–296, 297–306  
*Aglaeactis cupripennis*, 155–163  
*Agriornis montana*, 155–163  
 Aguilar, Thaís M., 223–229  
 Aguirre-Barrera, Oscar A. , 81–82  
 Albertani, Felipe, 307–314  
*Alca torda*, 297–306  
*Amazilia fimbriata*, 75–79  
*Amazilia lactea*, 315–330  
*Amazilia saucerrottei*, 75–79  
*Amazilia tobaci*, 75–79  
*Amazilia*, 143–154  
*Amazona aestiva*, 315–330  
*Amazona ochrocephala*, 307–314  
*Amazona vittata*, 13–63  
 American Kestrel, 197–205  
*Ampelion rubrocristatus*, 155–163  
*Anairetes parulus*, 155–163  
*Anas flavirostris*, 297–306  
*Anas georgica*, 297–306  
*Anas versicolor*, 297–306  
 Anderson, David L., 233–237  
 Andes, 155–163  
*Anhinga anhinga*, 297–306  
*Anisognathus igniventris*, 155–163  
 Anjos, Luiz dos, 315–330  
 Antártida, 177–182  
*Anthracothorax nigricollis*, 315–330  
*Anthus bogotensis*, 155–163  
*Anthus correndera*, 292–296  
*Anthus bellmayri*, 297–306  
*Antillovultur varonai*, 109–122  
*Anumbius annumbi*, 297–306  
*Apis mellifera*, 13–63  
 Apodidae, 93–107  
*Apus apus*, 297–306  
 Aquatic birds, 297–306  
*Ara macao*, 297–306  
 Aragon Tapia, Alvaro, 231–232  
 Aramburú, Rosana, 241–245  
*Aramides saracura*, 315–330  
*Aramides ypecaba*, 297–306  
*Aramus guaranauna*, 297–306  
*Aratinga leucophthalmus*, 315–330  
 Arendt, Wayne J., 13–63  
 Argentina, 85–96, 207–222, 259–262, 331–339  
*Arremon schegeli*, 75–79  
*Arremonops conirostris*, 75–79  
*Asio flameus*, 297–306  
*Asthenes flammulata*, 155–163  
*Asthenes nyatti*, 155–163  
*Atalotriccus pilaris*, 75–79  
*Athene cunicularia*, 297–306  
*Atlapetes rufinucha*, 155–163  
*Aulacorhynchus prasinus*, 253–257  
 Austral Thrush, 349–352  
 Avian mortality, 239–240  
 Avifauna, 177–182  
 Bait, 239–240  
 Baker, Aaron J., 81–82  
 Barred-Forest Falcon, 81–82  
 Barrera de Hielos Filchner, 177–182  
*Baryphthengus ruficapillus*, 315–330  
*Basileuterus culicivorus*, 75–79, 315–330  
*Basileuterus flaveolus*, 75–79  
 Bastida, Ricardo, 331–339  
 Becker, Peter H., 165–168  
 Behavior, 1–12, 189–195, 231–232, 341–348  
 Bellati, Javier, 207–222  
 Bildstein, Keith L., 197–205  
 Biogeography, 93–107, 253–257  
 Biological control, 13–63  
 Bird communities, 315–330  
 Black Rat, 13–63  
 Black-tailed Leaf-tosser, 173–175  
 Blue-Smith, Jason R. , 173–175  
 Body feathers, 165–168  
 Book reviews, 275–283, 365–368  
 Bosque deciduo, 65–79  
 Bosque ribereño, 65–79  
 Botfly, 13–63  
 Bravo, Carlos A., 349–352  
 Brazil, 169–172, 207–222, 249–251, 315–330  
 Breeding behavior, 173–175  
 Breeding biology, 1–12, 359–362

- Breeding, 169–172, 207–222, 341–348  
 Brillante Frentiverde, 189–195  
 Broad-winged Hawk, 197–205  
*Bubo virginianus*, 297–306  
*Bubulcus ibis*, 297–306, 315–330  
 Buenos Aires Province, 259–262  
 Buenos Aires, 331–339  
*Buteo albicaudatus*, 207–222  
*Buteo magnirostris*, 297–306, 315–330  
*Buteo platypterus*, 197–205  
*Buteo polyosoma*, 207–222  
*Buteo swainsoni*, 197–205  
*Buteo ventralis*, 349–352  
*Butorides striatus*, 315–330  
*Cacicus haemorrhous*, 315–330  
 Cactus, 341–348  
*Cairina moschata*, 297–306  
*Calidris fuscicollis*, 297–306  
 Call, 3  
*Camptostoma obsoletum*, 75–79, 315–330  
*Campylopterus falcatus*, 75–79  
*Campylorhamphus trochilrostris*, 75–79  
*Caprimulgus* sp., 315–330  
*Capsiempis flaveola*, 315–330  
*Cardinalis cardinalis*, 297–306  
*Carduelis carduelis*, 249–251  
*Carduelis magellanicus*, 155–163, 297–306  
*Carduelis psaltria*, 75–79  
*Casmerodius albus*, 315–330  
 Castillo, José M., 1–12  
*Catamenia inornata*, 155–163  
*Catharacta antarctica*, 297–306  
*Catharacta macormicki*, 177–182, 297–306  
*Cathartes aura*, 197–205, 207–222  
*Catharus aurantirostris*, 75–79  
*Catharus minimus*, 75–79  
 Cavity, 81–82  
*Celeus flavescens*, 315–330  
 Central America, 233–237  
*Centurus*, 341–348  
*Ceryle torquata*, 315–330  
 Chaco, 239–240  
*Chaetura brachyura*, 93–107  
*Chaetura chapmani*, 93–107  
*Chaetura cinereiventris*, 93–107, 315–330  
*Chaetura egregia*, 93–107  
*Chaetura fumosa*, 93–107  
*Chaetura martinica*, 93–107  
*Chaetura meridionalis*, 93–107  
*Chaetura pelagica*, 93–107  
*Chaetura spinicauda*, 93–107  
*Chaetura vauxi*, 93–107  
*Chaetura viridipennis*, 93–107  
*Chaetura*, 93–107  
*Chalybura buffoni*, 75–79  
*Chauna torquata*, 297–306  
 Chile, 165–168, 285–296  
 Chile, 349–352  
 Chilean Flicker, 349–352  
 Chilean Pigeon, 349–352  
*Chionis alba*, 297–306  
*Chloephaga picta*, 297–306  
*Chloroceryle amazona*, 315–330  
*Chloroceryle americana*, 297–306, 315–330  
*Chlorostilbon aureoventris*, 297–306, 315–330  
*Chlorostilbon mellisugus*, 75–79  
*Chordeiles pusillus*, 85–86  
*Ciconia ciconia*, 297–306  
*Ciconia maguari*, 297–306  
 Ciconiiformes, 109–122  
*Cinclodes fuscus*, 155–163, 297–306  
*Circus buffoni*, 297–306  
*Circus cinereus*, 197–205, 207–222  
*Cistothorus platensis*, 155–163  
*Citrus* sp., 363–364  
 City parks, 315–330  
 Cliff pothole, 81–82  
 Clift, 81–82  
*Cnemotriccus fuscatus*, 75–79, 315–330  
*Coccyzus melacorhyphus*, 75–79, 315–330  
*Coereba flaveola*, 75–79, 315–330  
*Colaptes campestris*, 315–330  
*Colaptes campestroides*, 297–306  
*Colaptes melanolaemus*, 297–306  
*Colaptes pitius*, 349–352  
 Collared Forest-Falcon, 1–12  
 Collecting birds, 263–267, 269–274  
 Collection, 263–267, 269–274  
 Colombia, 143–154  
*Colonia colonus*, 315–330

- Colonización, 109–122  
*Columba araucana*, 349–352  
*Columba cayennensis*, 315–330  
*Columba flavirostris*, 231–232  
*Columba livia*, 297–306  
*Columba maculosa*, 297–306  
*Columba picazuro*, 297–306, 315–330  
*Columbina passerina*, 75–79  
*Columbina picui*, 297–306, 315–330  
*Columbina talpacoti*, 75–79, 315–330  
 Competition for nest sites, 13–63  
 Competitors, 13–63  
 Comportamiento, 207–222  
 Composición de comunidades, 65–79  
 Comunidad, 65–79  
 Cóndor extinto, 109–122  
*Conirostrum cinereum*, 155–163  
*Conirostrum speciosum*, 315–330  
*Conopophaga lineata*, 315–330  
 Conservation, 263–267, 269–274  
*Contopus cinereus*, 75–79  
*Coragyps atratus*, 207–222, 297–306, 315–330  
 Corales, Ema S., 349–352  
 Corbalán, Valeria, 241–245  
*Corvus corax*, 297–306  
*Corvus corone*, 297–306  
*Coryphospingus cucullatus*, 315–330  
*Coryphospingus pileatus*, 75–79  
*Coscoroba coscoroba*, 297–306  
 Costa Rica, 189–195, 197–205  
 Cotorra, 241–245  
 Cozumel Island, 183–184  
 Crimson-collared Grosbeak, 363–364  
*Crotophaga ani*, 315–330  
*Crotophaga sulcirostris*, 231–232  
*Crypturellus parvirostris*, 315–330  
 Cuaternario, 109–122  
 Cuba, 109–122  
*Cyanocitta cristata*, 297–306  
*Cyanocompsa cyanea*, 75–79  
*Cyanocompsa cyanoides*, 75–79  
*Cyanocorax chrysops*, 315–330  
*Cyanoliseus patagonus*, 297–306  
*Cybalobus guianensis*, 75–79, 239–240, 315–330  
*Cygnus melanocorypha*, 297–306  
*Dacnis cayana*, 315–330  
*Daption capense*, 297–306  
 Darrieu, Carlos, 331–339  
*Dendrocincla fuliginosa*, 75–79  
*Dendrocolaptes picumnus*, 75–79  
*Dendrocoryna viduata*, 297–306  
 Denton, Matthew D., 173–175  
 Dias, Rafael Antunes, 249–251  
 Diet, 259–262, 331–339, 349–352, 363–364  
 Dieta, 241–245, 331–339  
 Diffusion of publications, 185–187  
*Diglossa cyanea*, 155–163  
*Diglossa humeralis*, 155–163  
 Dispersion, 285–296  
 Distribución, 93–107, 109–122, 233–237, 249–251  
 Distribution, 93–107, 109–122, 233–237, 249–251  
*Diuca diuca*, 292–296  
 DNA-fingerprinting, 307–314  
*Donacospiza albifrons*, 297–306  
 Donegan, Thomas M., 263–267  
 Down, 165–168  
*Dromococcyx pavoninus*, 315–330  
*Dryocopus lineatus*, 315–330  
 Dyrz, Andrzej, 83–84, 359–362  
*Dysithamnus mentalis*, 315–330  
 Ectoparasitism, 13–63  
 Ecuador, 155–163  
 Effect of fire, 155–163  
 Eggs, 169–172, 189–195, 233–237  
*Egretta alba*, 297–306  
*Egretta thula*, 297–306, 315–330  
 Eitnien, Jack Clinton, 231–232, 363–364  
*Elaenia albiceps*, 292–296  
*Elaenia flavogaster*, 75–79, 315–330  
*Elaenia parvirostris*, 75–79, 315–330  
*Elanoides forficatus*, 197–205, 315–330  
*Elanus leucurus*, 297–306  
*Embernagra platensis*, 297–306  
 Emerald Toucanet, 253–257  
*Empidonax euleri*, 315–330  
*Empidonax varius*, 315–330  
 Enkerlin-Hoeflich, Ernesto, 87–90  
 Erikson, Lena M., 239–240

- Escalante-Pliego, Patricia, 183–184  
*Estrilda astrild*, 315–330  
 Ethics, 263–267, 269–274  
*Eupetomena macroura*, 315–330  
*Euphonia chlorotica*, 315–330  
*Euphonia musica*, 315–330  
*Euphonia pectoralis*, 315–330  
*Euphonia violacea*, 315–330  
 European Goldfinch, 249–251  
*Euscarthmus meloryphus*, 315–330  
 Executive committee, i–iii  
 Extinción, 109–122  
*Falco columbarius*, 197–205  
*Falco femoralis*, 207–222  
*Falco peregrinus*, 197–205, 207–222  
*Falco sparverius*, 197–205, 207–222, 297–306  
 Falconiformes, 197–205, 207–222  
 Favero, Marco, 259–262  
 Fernández-Badillo, Alberto, 65–79  
 Fieldguides, 269–274  
 Figueroa, Ricardo, 349–352  
 Fine-barred Piculet, 247–248  
 Fire, 155–163  
 Fish prey, 259–262  
 Flycatching, 341–348  
 Fontana, Carla Suertegaray, 169–172  
 Forest fragmentation, 315–330  
 Forest remnants, 315–330  
*Formicivora grisea*, 75–79  
*Forpus passerinus*, 75–79  
*Fregata magnificens*, 297–306  
*Fregatta tropica*, 297–306  
*Fulica armillata*, 297–306  
*Fulica rufifrons*, 297–306  
 Furnariidae, 173–175  
*Furnarius rufus*, 297–306, 315–330  
*Galbula ruficauda*, 75–79  
*Gallinago*, 155–163  
*Gallinula chloropus*, 297–306  
*Gallinula melanops*, 297–306  
*Gallus gallus*, 297–306  
*Gavia immer*, 297–306  
*Gavia stellata*, 297–306  
 Gaviota cocinera, 331–339  
 Genetic variability, 307–314  
 Geographical variation, 143–154  
*Geranoaetus melanoleucus*, 207–222  
*Glaucidium nanum*, 207–222  
*Glaucis hirsuta*, 75–79  
 Goelet Student Fund, 91–92, 188, 284  
 Golden-billed Saltator, 239–240  
*Grallaria quitensis*, 155–163  
 Grassland, 155–163  
 Gray-breasted Woodpecker, 341–348  
 Gray-hooded Flycatcher, 207–222  
 Great Antshrike, 239–240  
 Green-crowned Brilliant, 189–195  
*Grus canadensis*, 297–306  
 Guatemala, 1–12, 81–82  
*Guira guira*, 297–306, 315–330  
*Gymnogyps*, 109–122  
*Gymnophthys salvini*, 353–357  
*Habia rubica*, 315–330  
 Habitat, 155–163, 297–306  
 Hairy-crested Antbird, 353–357  
*Halobaena caerulea*, 297–306  
*Harpagus diodon*, 315–330  
*Heliodoxa jacula*, 189–195  
*Heliornis fulica*, 315–330  
*Hemithraupis guira*, 315–330  
*Hemitricus margaritaceiventris*, 75–79  
*Herpsilochmus rufimarginatus*, 315–330  
 High altitude, 155–163  
*Himantopus himantopus*, 297–306  
 Honduras, 233–237  
 Honeybee, 13–63  
 Hosts, 285–296  
 Hu, Da-Shih, 123–142  
 Hummingbird, 123–142, , 143–154, 189–195  
*Hylocharis chrysura*, 315–330  
*Hylophilus aurantiifrons*, 75–79  
*Hylophilus flavipes*, 75–79  
*Hymenops perspicillata*, 292–296, 297–306  
*Hypnelus ruficollis*, 75–79  
*Icterus cayanensis*, 297–306  
*Icterus nigrogularis*, 75–79  
*Ictinia plumbea*, 315–330  
 Incubation, 189–195  
 Information, 185–187  
 International communication, 185–187

- International Ornithological Congress, 90–91  
 Introduced birds, 249–251  
 Introduction, 285–296  
*Jacana jacana*, 297–306, 315–330  
 Jiménez, Jaime E., 349–352  
 Joenck, Cristian Marcelo, 169–172  
 Koenen, Marcus T., 155–163  
 Koenen, Sarah Gale, 155–163  
 Krauczuk, Ernesto R., 85–86  
 Krügel, Marilise mendonça, 315–330  
 Language, 185–187  
*Larus cirrocephalus*, 297–306  
*Larus dominicanus*, 177–182  
*Larus dominicanus*, 297–306, 331–339  
*Larus maculipennis*, 297–306  
 Least Nighthawk, 85–86  
 Leonard, Jr., David L., 341–348  
*Lepidocolaptes souleyetii*, 75–79  
*Leptasthenura andicola*, 155–163  
*Leptopogon amaurocephalus*, 315–330  
*Leptopogon superciliosus*, 75–79  
*Leptotila rufaxilla*, 315–330  
*Leptotila verreauxi*, 75–79, 315–330  
*Lesbia victoriae*, 155–163  
 Lesser Kiskadee, 359–362  
*Lessonia rufa*, 297–306  
*Leuconerpes candidus*, 315–330  
 Life history, 341–348  
 Los Tuxtlas, 253–257  
 Louisiana Waterthrush, 183–184  
*Machetornis rixosus*, 297–306, 315–330  
*Mackenziaena severa*, 315–330  
 Macouzet, Tania, 183–184  
*Macronectes giganteus*, 297–306  
 Mähler Jr., Jan K. Felix, 169–172  
 Maldonado-Coelho, Marcos, 207–222  
 Mangrove Swallow, 83–84  
 Marajo Yellow-crowned Amazon, 307–314  
*Margarops fuscatus*, 13–63  
 Marín, Manuel, 93–107, 285–296  
 Maringá, 315–330  
 Marini, Miguel A., 207–222  
 Martuscelli, Paulo, 307–314  
 Master, Terry L., 189–195  
 Maucó, Laura, 259–262  
*Megarhynchus pitangua*, 315–330  
*Melanerpes carolinus*, 297–306  
*Melanerpes flavifrons*, 315–330  
*Melanerpes hypopolius*, 341–348  
*Melanerpes rubricapillus*, 75–79  
*Melanotrochilus fuscus*, 315–330  
*Melopsittacus undulatus*, 297–306  
 Mercury levels, 165–168  
 Meritt, Dennis A., Jr., 239–240  
 Merlin, 197–205  
*Metallura tyriantbina*, 155–163  
 Métodos in vivo, 241–245  
*Metropelia melanoptera*, 292–296  
 México, 183–184, 231–232, 253–257, 341–348, 363–364  
*Micrastur ruficollis*, 81–82  
*Micrastur semitorquatus*, 1–12  
 Migration, 197–205  
*Milvago chimango*, 207–222, 297–306  
*Mimus saturninus*, 297–306  
*Mimus thenca*, 292–296  
*Mimus triurus*, 297–306  
*Mionectes olivaceus*, 75–79  
*Mionectes rufiventris*, 207–222  
 Misiones, 85–86  
 Mocha Island, 165–168  
*Molothrus badius*, 297–306  
*Molothrus bonariensis*, 75–79, 285–296, 297–306, 315–330  
*Molothrus rufoaxillaris*, 297–306  
 Molt, 269–274  
 Montalti, Diego, 297–306  
 Mulvihill, Robert S., 189–195  
*Muscipipra vetula*, 169–172  
*Muscisaxicola alpina*, 155–163  
*Muscisaxicola* group, 169–172  
*Muscivora tyrannus*, 315–330  
*Myiarchus swainsoni*, 315–330  
*Myiarchus tyrannulus*, 75–79  
*Myiodynastes maculatus*, 315–330  
*Myiopagis caniceps*, 315–330  
*Myiopagis viridicata*, 75–79, 315–330  
*Myiophobus fasciatus*, 75–79, 315–330  
*Myiopsitta monachus*, 241–245, 297–306  
*Myiornis auricularis*, 315–330

- Myiozetetes cayanensis*, 75–79  
*Myiozetetes similis*, 75–79, 83–84, 315–330  
*Myospiza humeralis*, 315–330  
*Myiozetetes cayanensis*, 83–84  
*Nandayus nenday*, 297–306  
 National ornithological societies, 185–187  
 Need for collection, 263–267, 269–274  
*Nemosia pileata*, 315–330  
 Neotropical birds, 185–187  
 Neotropical Ornithological Congress, i–iii, 87–90, 92, 188  
 Neotropical Ornithological Society, i–iii  
 Neotropics, 269–274  
 Nest building, 189–195  
 Nest competition, 13–63  
 Nest predation, 13–63, 231–232  
 Nest, 189–195, 207–222, 233–237, 359–362  
 Nesting biology, 207–222, 353–357, 359–362  
 Nesting, 81–82, 83–84  
 Nestlings, 173–175  
 Nests, 1–12, 85–86, 169–172, 173–175  
*Netta peposaca*, 297–306  
 New World spine-tailed swifts, 93–107  
 Norte América, 109–122  
 Northern Harrier, 197–205  
*Nothura maculosa*, 297–306  
*Notiochelidon cyanoleuca*, 315–330  
*Notiochelidon cyanoleuca*, 75–79  
*Notophagus* forests, 349–352  
 Nunutak Bertrab, 177–182  
*Nyctibius griseus*, 315–330  
*Nycticorax nycticorax*, 297–306, 315–330  
*Nycticyphes semicollaris*, 297–306  
*Nyctidromus albicollis*, 75–79, 315–330  
*Nyctiphrynus ocellatus*, 233–237  
 Oaxaca, 341–348  
*Oceanites oceanicus*, 177–182, 297–306  
 Ocellated Poorwill, 233–237  
*Ochthoeca fumicolor*, 155–163  
*Oreotrochilus chimborazo*, 155–163  
 Orgeira, José Luis, 177–182  
 Osprey, 197–205  
 Otto, Paulo A., 307–314  
*Otus nudipes*, 13–63  
*Pachyrhamphus polychopterus*, 315–330  
*Padda oryzivora*, 297–306  
*Pagodroma nivea*, 177–182  
 Pajonal, 85–86  
 Panama, 359–362  
*Pandion haliaetus*, 197–205  
*Parabuteo unicinctus*, 207–222  
 Paraguay, 239–240  
 Paramo, 155–163  
 Paraná, 315–330  
*Pardirallus maculatus*, 297–306  
*Pardirallus sanguinolentus*, 297–306  
 Parental care, 173–175  
*Paroaria coronata*, 297–306  
 Parrot recovery, 13–63  
*Parula pitiauyumi*, 315–330  
*Parus ater*, 297–306  
*Parus major*, 297–306  
*Passer domesticus*, 292–296, 297–306, 315–330  
*Patagona gigas*, 155–163  
 Patagonia, 207–222  
 Pearly-eyed Thrasher, 13–63  
*Pelecanus occidentalis*, 297–306  
*Penelope superciliaris*, 315–330  
 Perchas, 207–222  
 Peregrine Falcon, 197–205  
 Peru, 247–248  
*Phacellodomus rufifrons*, 75–79  
*Phacellodomus striaticollis*, 297–306  
*Phaeomyias murina*, 75–79  
*Phaeoprogne tapera*, 297–306  
*Phaethornis longuemareus*, 75–79  
*Phaethornis pretrei*, 315–330  
*Phalacrocorax bransfieldensis*, 297–306  
*Phalacrocorax brasilianus*, 315–330  
*Phalacrocorax georgianus*, 297–306  
*Phalacrocorax olivaceus*, 297–306  
*Philohydor lictor*, 359–362  
*Philornis*, 13–63  
*Phoenicopterus chilensis*, 297–306  
*Phrygilus patagonicus*, 292–296  
*Phrygilus unicolor*, 155–163, 292–296  
*Phyllomyias fasciatus*, 315–330  
*Phylloscartes ventralis*, 315–330  
*Phytotoma rutila*, 297–306  
*Piaya cayana*, 315–330

- Pica pica*, 297–306  
 Pichones, 241–245  
*Picumnus subtilis*, 247–248  
*Picumnus temminckii*, 315–330  
 Pink-footed Shearwater, 165–168  
*Pionus maximilian*, 315–330  
*Pipra erythrocephala*, 75–79  
*Pipraeidea melanonota*, 315–330  
*Pitangus sulphuratus*, 75–79, 297–306, 315–330  
*Platalea ajaja*, 297–306  
*Platycichla flavipes*, 75–79  
*Platypsaris rufus*, 315–330  
*Plegadis chibi*, 297–306  
 Plumage, 123–142  
*Podiceps dominicus*, 315–330  
*Podilymbus podiceps*, 297–306  
*Poliopitila dumicola*, 297–306  
*Poliopitila plumbea*, 75–79  
*Polyborus plancus*, 207–222  
*Polyborus plancus*, 297–306  
*Polyborus plancus*, 315–330  
*Poospiza nigrorufa*, 297–306  
 Predation, 13–63, 231–232  
 President's page, i–iii  
 Prey, 349–352  
*Procnias nudicollis*, 315–330  
*Progne chalybea*, 315–330  
*Pseudattila phoenicurus*, 315–330  
*Pseudoleistes virescens*, 297–306  
 Psittaciformes, 241–245  
*Pterophanes cyanopterus*, 155–163  
 Publication, 185–187  
 Puerto Rican Parrot, 13–63  
 Puerto Rico, 13–63  
*Puffinus creatopus*, 165–168  
*Pygoscelis antarctica*, 297–306  
*Pygoscelis papua*, 297–306  
*Pygoscelis adeliae*, 297–306  
*Pyrocephalus rubinus*, 297–306, 315–330  
*Pyrope pyrope*, 292–296  
 Ramos, José D., 1–12  
 Ramphastidae, 253–257  
*Ramphastos toco*, 297–306  
*Ramphocelus carbo*, 75–79  
*Ramphomicron microrhynchum*, 155–163  
*Ramphotrigon megacephala*, 75–79  
 Range expansion, 249–251  
 Rapaces, 197–205, 207–222  
 Raptors, 197–205, 207–222  
 Red-billed Pigeon, 231–232  
 Red-breasted Meadowlark, 349–352  
 Reproductive success, 13–63, 207–222  
*Rhegmatorhina malenosticta*, 353–357  
*Rhodothraupis celaeno*, 363–364  
*Rhynchocyclus olivaceus*, 75–79  
*Rynchops niger*, 297–306  
*Rhynchotus rufescens*, 297–306  
 Rio Grande do Sul, 169–172  
*Rollandia rolland*, 297–306  
*Rostrhamus sociabilis*, 297–306  
 Royal Tern, 259–262  
 Rufous-browed Peppershrike, 239–240  
 Rufous-tailed Hawk, 349–352  
 Rusty-margined Flycatcher, 83–84  
 Saborio, Marco, 197–205  
 Salibián, Alfredo, 297–306  
*Saltator albicollis*, 75–79  
*Saltator aurantirostris*, 239–240  
*Saltator coerulescens*, 75–79  
*Saltator similis*, 315–330  
 Sánchez, Julio E., 189–195  
 Sandwich Tern, 259–262  
*Satrapa icterophrys*, 297–306  
*Saucerotia cupreicauda cupreicauda*, 143–154  
*Saucerotia cupreicauda duidae*, 143–154  
*Saucerotia cupreicauda laireti*, 143–154  
*Saucerotia cupreicauda pacaraimae*, 143–154  
*Saucerotia cupreicauda*, 143–154  
*Saucerotia viridigaster iodura*, 143–154  
*Saucerotia viridigaster viridigaster*, 143–154  
*Saucerotia viridigaster*, 143–154  
*Saucerotia*, 143–154  
*Scaphidura oryzivora*, 315–330  
*Scardafella squammata*, 75–79  
 Schifter, Herbert, 247–248  
*Schoeniophylax phryganophila*, 297–306  
*Sclerurus caudatus*, 173–175  
 Screech-Owl, 13–63  
*Seiurus motacilla*, 183–184  
*Seiurus noveboracensis*, 75–79

- Serinus canarius*, 297–306  
*Serpophaga nigricans*, 297–306  
*Serpophaga subcristata*, 297–306  
*Serpophaga subcristata*, 315–330  
*Setophaga ruticilla*, 75–79  
Sex-ratio, 307–314  
Sexual dimorphism, 123–142  
Sharp-shinned Hawk, 197–205  
Shear-tailed Gray-Tyrant, 169–172  
Shiny Cowbird, 285–296  
*Sicalis flaveola*, 75–79, 297–306  
*Sicalis luteola*, 292–296  
Sierra de Pacaraima, 143–154  
Silva R., M. Patricia, 259–262  
Silva, Maria Patricia, 331–339  
*Sittasomus griseicapillus*, 75–79, 315–330  
Snap trap, 239–240  
Social Flycatcher, 83–84  
Solorzano, Alecio, 65–79  
Song, 3  
Sotobosque, 65–79  
Southern Hemisphere Ornithological Congress, 91  
Southern Lapwing, 349–352  
Species limit, 93–107  
Species richness, 315–330  
Spectrogram, 3  
*Sporophila caerulescens*, 315–330  
*Sporophila intermedia*, 75–79  
*Sporophila lineola*, 75–79  
*Sporophila minuta*, 75–79  
*Sporophila nigricollis*, 75–79  
*Stelgidopteryx ruficollis*, 75–79, 315–330  
*Sterna paradisaea*, 177–182  
*Sterna trudeani*, 297–306  
*Sternocytha cyanopectus*, 75–79  
*Sturnella loyca*, 292–296, 349–352  
*Sturnella superciliaris*, 297–306  
*Sturnus vulgaris*, 297–306  
Suárez, William, 109–122  
*Sublegatus modestus*, 75–79  
Subspecies, 253–257  
*Sula bassana*, 297–306  
Swainson's Hawk, 197–205  
Swallow-tailed Kite, 197–205  
Swifts, 93–107  
*Synallaxis albescens*, 75–79  
*Synallaxis azarae*, 155–163  
*Synallaxis frontalis*, 315–330  
*Syrigma sibilatrix*, 297–306  
*Tachycineta albilinea*, 83–84  
*Tachycineta albiventer*, 315–330  
*Tachycineta leucorrhoa*, 297–306  
*Tachyphonus coronatus*, 315–330  
*Tachyphonus rufus*, 75–79  
*Tangara cayana*, 75–79  
*Tangara gyrola*, 75–79  
*Tapera naevia*, 315–330  
Tapia, Alvaro Aragon, 363–364  
*Taraba major*, 239–240  
Taxonomia, 109–122  
Taxonomy, 93–107, 123–142, 143–154, 233–237, 253–257  
Terrestrial birds, 297–306  
*Tersina viridis*, 315–330  
*Tbalassens maximus*, 259–262  
*Tbalassens sandvicensis*, 259–262  
*Tbalassoica antarctica*, 177–182  
*Tbamnophilus caerulescens*, 315–330  
*Tbamnophilus doliatus*, 75–79, 315–330  
Thorstrom, Russell, 1–12  
*Tbraupis bonariensis*, 315–330  
*Tbraupis episcopus*, 75–79  
*Tbraupis glaucocolpa*, 75–79  
*Tbraupis sayaca*, 315–330  
*Tbryothorus leucotis*, 75–79  
*Tbryothorus rufalbus*, 75–79  
*Tbryothorus rutilus*, 75–79  
*Tiaris bicolor*, 75–79  
Tikal National Park, 1–12  
*Tityra cayana*, 315–330  
*Tityra inquisitor*, 315–330  
*Todirostrum cinereum*, 75–79, 315–330  
*Todirostrum plumbeiceps*, 315–330  
*Todirostrum sylvia*, 75–79  
*Tolmomyias flaviventris*, 75–79  
*Tolmomyias sulphureus*, 75–79  
Topaza hummingbirds, 123–142  
*Topaza pella microrhyncha*, 123–142  
*Topaza pella pella*, 123–142

- Topaza pella smaragdula*, 123–142  
*Topaza pella*, 123–142  
*Topaza pyra amaruni*, 123–142  
*Topaza pyra*, 123–142  
*Trichothraupis melanops*, 315–330  
*Tringa flavipes*, 297–306  
Trochilidae, 123–142, 143–154  
*Troglodytes aedon*, 75–79 292–296, 297–306, 315–330  
*Turdus albicollis*, 315–330  
*Turdus amaurochalinus*, 297–306  
*Turdus amaurochalinus*, 315–330  
*Turdus falklandii*, 349–352  
*Turdus fuscater*, 155–163  
*Turdus leucomelas*, 75–79, 315–330  
*Turdus migratorius*, 297–306  
*Turdus nigriceps*, 315–330  
*Turdus nudigenis*, 75–79  
*Turdus rufiventris*, 297–306, 315–330  
Turkey Vulture, 197–205  
Type specimens, 247–248, 269–274  
*Tyrannus melancholicus*, 297–306, 315–330  
*Tyrannus savana*, 297–306  
*Tyto alba*, 297–306  
*Uria algae*, 297–306  
Uropygial gland, 297–306  
*Vanellus chilensis*, 297–306, 315–330, 349–352  
Variation, 123–142  
Venezuela, 65–79, 143–154  
*Veniniornis kirkii*, 75–79  
*Veniliornis spilogaster*, 315–330  
Veracruz, 253–257  
Verea, Carlos, 65–79  
Vienna, 247–248  
*Vireo olivaceus*, 75–79, 315–330  
*Volatina jacarina*, 75–79, 315–330  
Vuilleumier, François, i–iii, 87–90, 185–187, 269–274, 275–283, 365–368  
*Vultur gryphus*, 207–222  
Vultures, 197–205  
Vulturidae, 109–122  
Wajntal, Anita, 307–314  
Weller, André-Alexander, 143–154  
Whitacre, David F., 81–82  
White, Clayton M. , 81–82  
White-throated Antbird, 353–357  
Willson, Susan K., 353–357  
Winker, Kevin, 253–257  
*Xenops minutus*, 75–79  
*Xenops rutilans*, 315–330  
*Xiphocolaptes albicollis*, 315–330  
*Xiphorhynchus guttatus*, 75–79  
*Xolmis coronata*, 297–306  
Yamashita, Carlos, 307–314  
*Zenaida auriculata*, 297–306, 315–330  
*Zonotrichia capensis*, 292–296, 297–306, 315–330

## Reviewers for Ornitología Neotropical, Volume 11

Each manuscript submitted for publication in Ornitología Neotropical is generally reviewed by two specialists, often including a member of the editorial board, and frequently by a third one. The following individuals kindly reviewed one or more (\*) manuscripts for Volume 11: Allisson V. Andors\*, Luiz dos Anjos\*, Marcello Bertellotti, S. P. Bhattacharyya, Richard O. Bierregaard, John G. Blake, Kenneth E. Campbell, Robert W. Dickerman, Steve Emslie, Ricardo R. Estrella, Jon Fjeldsã, Rosendo M. Fraga, Esteban Frere, Patricia Gandini\*, Jürgen Haffer, J. Jacob, Fabian M. Jaksic\*, Leo Joseph\*, Lloyd Kiff\*,

Walter D. Koenig, James A. Kushlan, Bette A. Loiselle\*, Raymond McNeil\*, Manuel Nores, Brigitte Poulin, Bent Otto Poulsen, Flavio Quintana, John H. Rappole\*, J. V. Remsen, Mark B. Robbins, Karl-L. Schuchmann\*, Gilles Seutin, Lester L. Short\*, Neal G. Smith, W. John Smith, F. Gary Style\*, Jean-Marc Thiollay\*, Russell Thorstrom, Jacques Vieillard\*, François Vuilleumier\*, David F. Whitacre, James W. Wiley\*, Edwin O. Willis\*, P. Yorio, Thomas Züchner\*. The abstracts were kindly corrected by Cristina Yumi Miyaki for the Portuguese, and by Diego Montalti for the Spanish.

NOW AVAILABLE FROM

### WESTERN FOUNDATION OF VERTEBRATE ZOOLOGY

#### *"A Bibliography of Ornithology in the West Indies"*

by  
*James W. Wiley*

Proceedings of the Western Foundation of Vertebrate Zoology  
Volume 7 2000

Price: \$42.50 (includes postage and handling)

Order from: Western Foundation of Vertebrate Zoology  
439 Calle San Pablo, Suite O  
Camarillo, CA 93012-8506



## NEWS—NOTICIAS—NOTÍCIAS

### THE GOELET STUDENT FUND

At the VIth Neotropical Ornithological Congress in Monterrey, Mexico, October 1999, Mr. and Mrs. Robert G. Goelet of New York City donated \$5000 to the Neotropical Ornithological Society, to be used as seed money for a fund, to be called the "Goelet Student Fund." This fund is earmarked specifically to make financial grants to students from the Neotropical Region in order for them to attend and present either a paper or a poster at the VIIth Neotropical Ornithological Congress, which will be held in 2003 in Chile.

The Neotropical Ornithological Society would like to raise additional money in order to at least double the amount in this fund by early 2003, when grants will be made to deserving students. In order to reach this important goal, donations from members are urgently solicited. Even small gifts, when made by many people, can go a long way. Thus if 200 members each were to give \$20 in addition to their annual dues in 2000, then our

goal would be nearly reached only one year after the initial donation by Mr. and Mrs. Goelet.

The status of the Neotropical Ornithological Society as a tax-exempt organization under the United States Internal Revenue Service code insures that members' donations are tax-deductible to the extent allowed by US law.

Gifts should be made to the Neotropical Ornithological Society, earmarked as a contribution to the "Goelet Student Fund," and sent to Dr. J. Michael Meyers, Treasurer, The Neotropical Ornithological Society, Warnell School of Forest Resources, D. W. Brooks Drive, The University of Georgia, Athens, GA 30602-2152, USA.

All payments must be to the treasurer in US currency, either by credit card (VISA, MasterCard), or by cheque or international money order drawn on a US bank. *E-mail:* jmeyers@smokey.forestry.uga.edu.

### VII<sup>th</sup> NEOTROPICAL ORNITHOLOGICAL CONGRESS

The VIIth Neotropical Ornithological Congress (VIIth NOC), will take place in 2003 in Chile. The VIIth NOC will be hosted by the Unión de Ornitólogos de Chile (UNORCH) and will probably be held in October (austral spring) in Puerto Varas. This is an advance announcement designed to inform member of the Neotropical Orni-

thological Society about the VIIth NOC, so that they can put this date on their calendar at this early date. As more information concerning the exact place and date of the Congress and its organization becomes available, it will be announced in *Ornitología Neotropical*.